

STAS



Premium made affordable:

Agrostar with steel chassis



The premium solution for agricultural bulk transport



EASY
TO USE



DESIGN



MOST STABLE
DRIVING &
TIPPING

STRONGEST
LIGHTEST



LONGEST LIFETIME



Volumes and dimensions



Chassis specs



STRAIGHT FRONT BULKHEAD, STRAIGHT REAR DOOR, Z CHASSIS

volume	internal length	internal height	internal width
m ³	mm	mm	mm
45,4 m ³	9.664	1.900	2.475
49,2 m ³	10.464	1,900	2.475
51,8 m ³	9.664	2.165	2.475
53,4 m ³	11.364	1.900	2.475
56,1 m ³	10.464	2.165	2.475
60,9 m ³	11.364	2.165	2.475

SLOPING FRONT BULKHEAD, STRAIGHT REAR DOOR, Z CHASSIS

volume	internal length	internal height	internal width
m ³	mm	mm	mm
52,0 m ³	9.700	2.165	2.475

Specialised options



Universal rear door

Barndoor + top hinged door function



Easy-to-use hingeable headerbar
Also available without headerbar

Strongest universal door on the market
(Full doorframe for ultimate strength and longest lifetime)

Grain hatches freely configurable
(left, right, left & right)

Easy and safe operation of top hinged door functionality
(closing hooks open automatically when the body starts to lift)

Sheeting options

Standard Easy sheet
(easy-to-use manual sheeting)

Cramaro Cabriolé
(Remote controlled automatic sheeting)

Cramaro Cabriolé Cereal
(Remote controlled + watertight automatic sheeting)



Chassis specs




100% S700 high-strength steel

- maximum strength, minimum weight



High-quality paint process

- Maximum anti-corrosion
- Two-color paintjob possible (different color for chassis and body)



Reinforced traverses

- increased frame stiffness when turning and tipping

Integrated tipping axle

- increased stability through lower center of gravity



Reinforced axle brackets

- designed for heavy duty road conditions



Ultra strong rear box section

- optimized for torsional stiffness while tipping
- optimized for minimal added weight

1400mm wide chassis frame

- widest tipper chassis available

